

## **Product Summary**

# Human Mesenchymal Stem Cell Expansion Media

Catalog Number: MR1016

Product Overview			
Product Name	Human Mesenchymal Stem Cell Expansion Media		
Catalog #s	MR1016		
Quantity	450 mL		
Product Form	Liquid		
Cell Species	Human Mesenchymal Stem Cells		
Reagents Needed	Customer choice of high-grade or fully defined Fetal Bovine Serum (FBS) (not included) Penicillin/Streptomycin/Amphotericin B solution or Penicillin/Streptomycin solution, 100X (not included) <sup>1</sup>		

# Human MSC Expansion Media

### **Product Description**

Mesenchymal Stem Cell (MSC) Expansion Media is a high-performance, nutrient-rich formulation meticulously designed to support the optimal growth and expansion of MSCs. This specialized media system delivers a carefully balanced mix of essential nutrients, growth factors, and metabolic regulators to maintain MSCs in a stable, undifferentiated state while promoting rapid, high-density cell proliferation. By providing a controlled environment that supports long-term culture without spontaneous differentiation, our MSC Expansion Media is a reliable solution for researchers working in stem cell biology, regenerative medicine, and tissue engineering.

Engineered for superior cell viability and functionality, this advanced media formulation ensures reproducible expansion while preserving key stem cell characteristics such as multipotency and differentiation potential. Whether used for basic research, drug discovery, or translational applications, our MSC Expansion Media minimizes variability across multiple passages, reducing experimental inconsistencies and enhancing overall research outcomes. The optimized composition supports consistent cell morphology, stable doubling times, and high-efficiency expansion, streamlining workflows and improving laboratory productivity.

MR1016 supports robust MSC growth under both serum-containing and serum-free conditions, making it adaptable for diverse research needs. This media has been rigorously tested to maintain stem cell stability and integrity across multiple cell sources, ensuring reliable performance in every culture.

#### **Recommended Uses:**

- Human Adipose-Derived Mesenchymal Stem Cells (CR1004-500)
- Human Bone Marrow-Derived Mesenchymal Stem Cells (<u>CR1005-500</u>)
- Human Amniotic Membrane-Derived Mesenchymal Stem Cells (CR1006-500)

#### Shipping & Storage:

- Shipped with gel packs to maintain stability during transport.
- Store at the recommended temperature upon arrival for maximum shelf life and performance.

Note: This product is designed and tested to function with Cellular Engineering Technologies Inc. ("CET") Mesenchymal cell products CR1004-500 Human Adipose-Derived Mesenchymal Stem Cells (not included), CR1005-500 Human Bone Marrow-Derived Mesenchymal Stem Cells (not included), CR1006-500 Human Amniotic Membrane Derived Mesenchymal Stem Cells (not included) and CR1017-500 Human Multipotent Unrestricted Somatic Stem Cells (not included). Although investigators are welcome to use this product with other cell products, CET cannot and will not guarantee this product's performance. Additionally, using third-party cell lines with this product will void CET's warranty should they not function as indicated. Please refer to CET's Terms & Conditions, available at www.cet.bio.

FOR RESEARCH APPLICATIONS ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.



Media Formulation Instructions			
Defrosting / Preparation	Defrost 50mL of FBS (not included) and 5mL of antibiotic/antimycotic solution (not included) in a 37°C water bath until ice in the tubes is no longer visible. Immediately disinfect the tubes and the bottle containing this base media with 70% isopropanol (not included).		
Mixing	Working in a laminar flow hood, remove 5mL of the base media from the bottle and discard. This and all other procedures must be done in a sterile manner. Add 50mL of FBS to this base media. Add 5mL of the antibiotic/antimycotic solution to the base media <sup>1</sup> . Cap the bottle containing the mixed liquid solution and gently swirl a few times. This formulated media is now considered complete media and ready to use with cells.		

Cell Thawing Instructions (with CET Mesenchymal Stem Cell Product <sup>2</sup> not included)			
Thawing	Remove vial of CET Mesenchymal Stem Cell Product <sup>2</sup> from dry ice. Defrost the vial of cells in a 37°C water bath with constant, moderate agitation, until ice in the ampoule is barely visible. DO NOT OVERTHAW. Immediately disinfect the vial with 70% isopropanol (not included).		
Plating	Working in a laminar flow hood, open the vial and transfer the contents to a sterile 15 mL tube. Very slowly, add approximately 10mL of complete media (see Media Formulation Instructions), pre-warmed to 37°C. Centrifuge the suspended cells at 200 x g for 5 minutes. Decant the medium and gently resuspend the pellet in 10mL of complete media (see Media Formulation Instructions), then transfer into a T-25 (25 cm <sup>2</sup> ) cell culture flask (not included).		
Observation	Observe the cells microscopically to estimate cell viability and then place the flask in an incubator at 37°C, 5% CO <sub>2</sub> , and 90% humidity. Cells will be ready to pass between 3-7 days. Cells should be sub-cultured at a density of 5,000 to 10,000 cells/cm or desired plating density.		

Storage and Stability					
	Storage Temperature	Storage Time			
Human Mesenchymal Stem Cell Expansion Media	4°C	3 months			
complete media (see Media Formulation Instructions)	4°C	Not applicable			
Avoid repeated exposure to room temperature and light.					

 <sup>&</sup>lt;sup>1</sup> These solutions should be portioned in 5mL aliquots, stored at -20C and never frozen/thawed. Although antimycotics are not necessary, CET highly recommends their usage for long-term cell culture. Antibiotics and antimycotics should not be used as an alternative to proper aseptic techniques.
<sup>2</sup> CET Mesenchymal Stem Cell Product includes CR1004-500 Human Adipose-Derived Mesenchymal Stem Cells, CR1005-500 Human Bone Marrow-Derived Mesenchymal Stem Cells, CR1006-500 Human Aminotic

Membrane-Derived Mesenchymal Stem Cells and CR1017-500 Human Multipotent Unrestricted Somatic Stem Cells.